

Date: Tuesday, 9/4/2007 11:29:21 AM
 User: Kim Johnston

Process Sheet

Customer	: CU-DAR001 Dart Helicopters Services	Drawing Name	: INSULATION SOCKS & HOSES
Job Number	: 34389		
Estimate Number	: 12389		
P.O. Number	: <i>N/A</i>	Part Number	: D34829
This Issue	: 9/4/2007	S.O. No.	: <i>N/A</i>
Prsht Rev.	: NC	Drawing Number	: D3482 REV B
First Issue	: <i>N/A</i>	Project Number	: N/A
Previous Run	: 26969	Drawing Revision	: B
		Material	: <i>N/A</i>
		Due Date	: 9/17/2007
Written By	: _____	Qty:	8 Um: Each
Checked & Approved By	: <i>[Signature]</i> 07.09.04		
Comment	: Est Rev:A New Issue 06-04-21 JLM		
	: Est Rev:B As per Rev B 06-05-24 JLM		

Additional Product

Job Number:



Seq. #:	Machine Or Operation:	Description :
---------	-----------------------	---------------

1.0	D34829P	HOSE INSULATION
-----	---------	-----------------



Comment: Qty.: 1.0000 Each(s)/Unit Total : 8.0000 Each(s)
 INLET INSULATION SOCK

2.0	PG	PURCHASING
-----	----	------------



Comment: PURCHASING
 Issue P/O: *4517*
 Fabricate as per Dwg D3482
 Possible Supplier: Tempco Tec Inc
 Material release note is required

CD 07/09/104
(8)

3.0	PACKAGING 1	PACKAGING RESOURCE #1
-----	-------------	-----------------------



Comment: PACKAGING RESOURCE #1
 Receive & Inspect For Transit Damage
 Ensure material certification is attached

EP 07/09/14
(8)

4.0	QC6	DIMENSIONAL CHECK
-----	-----	-------------------



Comment: DIMENSIONAL CHECK

Er 02/09/12
(48)

counts

5.0	PACKAGING 1	PACKAGING RESOURCE #1
-----	-------------	-----------------------



Comment: PACKAGING RESOURCE #1
 Identify and Stock
 Location: *5161*

EP 07/09/19
(8)

Dart Aerospace Ltd

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes ☒ No ☐ DQA: ED Date: 06/09/19
 QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Date: Tuesday, 9/4/2007 11:29:21 AM
User: Kim Johnston

Process Sheet

Customer: CU-DAR001 Dart Helicopters Services

Drawing Name: INSULATION SOCKS & HOSES

Job Number: 34389

Part Number: D34829

Job Number:



Seq. #:

Machine Or Operation:

Description :

6.0

QC21

FINAL INSPECTION/W/O RELEASE



(8)

Comment: FINAL INSPECTION/W/O RELEASE

Done 8/19

Job Completion



Done 8/19

Dart Aerospace Ltd

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____


QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

DART

DESIGN	DRAWN BY	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED	APPROVED	DRAWING NO. D3482	REV. B SHEET 1 OF 3
DATE 06.05.16	TITLE INSULATION SOCKS & HOSES		SCALE 1:4
A	06.03.24	NEW ISSUE	
B	06.05.16	52 WAS 40	

**D3482-1 INLET INSULATION SOCK****NOTES:**

- 1) MATERIAL: BEIGE TECGLASS GL 2025/9383 PER MIL-C-20079H
TYPE I, CLASS 9 (WITH 9383 FINISH)
POSSIBLE SUPPLIER: TEMPRO TEC INC.
- 2) THREAD: E-18 FIBERGLASS-TFE THREAD PER MIL-C-20079H(SH)
TYPE III, CLASS 3 OR ASTM D 4040-89
POSSIBLE SUPPLIER: TEMPRO TEC INC.
- 3) OPEN/CLOSE OVERLAP WITH SNAP BUTTON
- 4) POSSIBLE SUPPLIER: McMASTER-CARR
- 5) ALL DIMENSIONS ARE IN INCHES
- 6) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 7) BREAK SHARP EDGES 0.005 TO 0.010 MAX


SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 34389

Copyright © 2006 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

DART

DESIGN <i>[Signature]</i>	DRAWN BY <i>[Signature]</i>	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED <i>[Signature]</i>	APPROVED <i>[Signature]</i>	DRAWING NO. D3482	REV. B SHEET 2 OF 3
DATE 06.05.16		TITLE INSULATION SOCKS & HOSES	SCALE 1:4

**D3482-3 OUTLET INSULATION SOCK****NOTES:**

- 1) MATERIAL: BEIGE TECGLASS GL 2025/9383 PER MIL-C-20079H
TYPE I, CLASS 9 (WITH 9383 FINISH)
POSSIBLE SUPPLIER: TEMPRO TEC INC.
- 2) THREAD: E-12 FIBERGLASS-TFE THREAD PER MIL-C-20079H(SH)
TYPE III, CLASS 3 OR ASTM D 4040-89
POSSIBLE SUPPLIER: TEMPRO TEC INC.
- 3) ALL DIMENSIONS ARE IN INCHES
- 4) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES 0.005 TO 0.010 MAX

SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 34389


Copyright © 2006 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.



DESIGN <i>[Signature]</i>	DRAWN BY <i>[Signature]</i>	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED <i>[Signature]</i>	APPROVED <i>[Signature]</i>	DRAWING NO. D3482	REV. B SHEET 3 OF 3
DATE 06.05.16		TITLE INSULATION SOCKS & HOSES	SCALE 1:4

RELEASED
06.05.16



D3482-X INSULATION HOSE

P/N D3482-X	L (in)
D3482-5	20
D3482-7	36
D3482-9	48
D3482-11	30
D3482-13	52




NOTES:

- 1) MATERIAL: BEIGE TECGLASS GL 2025/9383 PER MIL-C-20079H
TYPE I, CLASS 9 (WITH 9383 FINISH)
POSSIBLE SUPPLIER: TEMPRO TEC INC.
- 2) THREAD: E-12 FIBERGLASS-TFE THREAD PER MIL-C-20079H(SH)
TYPE III, CLASS 3 OR ASTM D 4040-89
POSSIBLE SUPPLIER: TEMPRO TEC INC.
- 3) ALL DIMENSIONS ARE IN INCHES
- 4) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES 0.005 TO 0.010 MAX

SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 34389

Copyright © 2006 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.



PACKING SLIP

ORDER NUMBER: 0030478

7210C - 5 Street S.E.
Calgary, Alberta
T2H 2L9

Bus: 4032163300
Toll: 800-565-3907
Fax: 403-216-3306

ORDER DATE: 05-Sep-2007
SALESPERSON: TT
ORDER DESK PMN

SOLD TO:

DART AEROSPACE
1270 ABERDEEN STREET
HAWKSBURY, ON K6A 1K7

DAR100

SHIP TO:

DART AEROSPACE
1270 ABERDEEN STREET
HAWKSBURY, ON K6A 1K7

CONFIRM TO: C Lavoie

Phone: (613) 632-9577

Fax: (613) 632-1053

WAREHOUSE: 000

TEMPRO TEC - CALGARY

CUSTOMER P.O.
PO00004519

FRT CHARGES
COLLECT

CARRIER
FEDEX #15179324-0

F.O.B.

DATE SHIPPED

SEP 12/07

TERMS

NO TERMS

ITEM NO.	DESCRIPTION	ORDERED	UNIT	SHIPPED	BACKORDER	LOT #
90INSULSK2 P	*MTO* FG Insul Sock # D34821P	1.00	SET	<i>1</i>	<i>Ø</i>	
90INSULSK2 1	*MTO* FG Insul Sock # D348211P	1.00	SET	<i>1</i>	<i>Ø</i>	
90INSULSK29 P	*MTO* FG Insul Sock # D34829P <i>6</i>	1.00	SET	<i>1</i>	<i>Ø</i>	
90INSULSK13 P	*MTO* FG Insul Sock # D348213P	1.00	SET	<i>1</i>	<i>Ø</i>	
90INSULSK23 P	*MTO* FG Insul Sock # D34823P	1.00	SET	<i>1</i>	<i>Ø</i>	
90INSULSK25 P	*MTO* FG Insul Sock # D34825P	1.00	SET	<i>1</i>	<i>Ø</i>	
90INSULSK27 P	*MTO* FG Insul Sock # D34827P	1.00	SET	<i>1</i>	<i>Ø</i>	

CP 07/09/14



Certificate Of Compliance

Auburn Manufacturing, Inc.

Extreme Temperature Experts

P.O. Box 220, Mechanic Falls, ME 04256 U.S.A

Tel: 800-254-6689 / Fax: 207-345-3380

www.auburnmfg.com

7/13/07

(Shipping Date)

Purchase Order Number: 0006960 AMI Cust. Number: 2571

Part Number: GL2025-60NS-9383 AMI Order Number: 106636

Quantity: 1000 yards AMI Item Number: 50-1061

Batch/Lot Number: N/A Cust. Part Number: N/A

This is to certify that the products listed above have been shipped to:

Tempo Tec Inc

against the referenced purchase order number, and are in full compliance with all applicable specifications listed below. Records of all inspections and tests performed (if required as part of contract acceptance) will be available for review.

Number 1: AMI - GL2025 Specifications

Number 2: 9383 (Heat Cleaned) Finish 5/2/07

Number 3: Made in the USA

Number 4: _____

Number 5: _____

Number 6: _____

Number 7: _____

Number 8: _____

Number 9: _____

Shelf Life: N/A

Date of MFG: N/A

Expiration Date: N/A

Sen. Horton
(Authorized Signature)

Quality Coordinator
(Title)

Issue Date: 8/31/98

Revision Date: 10/19/98

Revision Number: 2

Form Number: QFS-10-COC



American Welding Society
Sustaining Member

09/14/2007

11:56

TEMPO TEC INC → 16136321053

NO. 710


001

Jul. 20. 2007 9:56AM

Fil-Tec, Inc.

No. 0749

P. 2



FIL-TEC

Report To:

FAXED

 Attn: Cl. Clavore
pot#
recd

INSPECTION SHEET FOR TEFLON PTFE COATED GLASS

CODE NO:	11002 BC18 GLASS LUBE	INSPECTION DATE:	4-24-07
LOT NO:	111JGA	OVEN NO:	1
YARN SIZE:	GRBC6	DATE OF RUN:	4-22-07
CUSTOMER PO NO:		COLOR:	NATURAL
RAW MATERIAL ORDER NO	6320		

BURN OFF TEST: LUBRICANT

	SAMPLE NO.	WEIGHT BEFORE	WEIGHT AFTER	LOSS	% LUBRICANT
Our PTFE coated Fiberglass Size 18 meets the following specs:	1	2.008	1.842	0.166	8.3
	2	1.904	1.741	0.163	8.6
	3	1.682	1.547	0.135	8.0
	4	1.440	1.311	0.129	9.0
	5	1.991	1.794	0.197	9.9
Meets ASTM D4030-89 and strength and PTFE requirements of MIL-C-20079H Type 111 Class 3	AVG	1.805	1.647	0.158	8.7

BURN OFF TEST: PTFE

	SAMPLE NO.	WEIGHT BEFORE	WEIGHT AFTER	LOSS	% PTFE
	1	1.741	1.453	0.288	16.5
	2	1.842	1.534	0.308	16.7
	3	1.311	1.098	0.213	16.2
	4	1.794	1.507	0.287	16.0
	5	1.608	1.332	0.276	17.2
	AVG	1.659	1.385	0.274	16.5

POUNDS TENSILE:

1	26.2	2	25.3	3	27.7	4	26.7	5	27.1	AVG	26.6
---	------	---	------	---	------	---	------	---	------	-----	------

We certify that the above tests were performed in accordance with the specification test requirements and that the reported tests are true, valid and applicable to the samples tested. Fiberglass conforms to mercury free requirements. We further certify that the tested material conforms to the minimum P.T.F.E. requirement of 14.5 %.

DATE: 4-24-07

INSPECTOR:

Kyle Staley

SIGNED: